



BOXED KITS

- Standard boxed kits available to provide solutions to common installations
- Options designed for cooker hoods and tumble dryers
- Air supply and wall outlet sets also available
- Packed in purpose made cartons
- Complete with instructions where necessary
- Choice of wall terminal colours
- Bespoke kits can be designed to meet the exact requirements of the installation

Monsoon is able to provide a selection of one-stop solutions to many popular installations by choosing from a comprehensive range of standard boxed kits.

The selection of kits demonstrates the adaptability of the modular Monsoon range by combining products, both rigid and flexible, with the relevant terminal to achieve the most effective configuration for the the installation in question.

Kits are available for short runs that go straight through the wall or longer runs that may require installation along the top of wall units or in the ceiling void. Kits will fit 100mm, 125mm or 150mm diameter connections

providing an option for fans with different extraction rates. They are available in round and rectangular form.

There are also kits designed to provide return air for cooker hoods and combustion air to open-flued appliances, such as, central heating boilers and fires.

Monsoon standard kits are provided, where necessary, with installation instructions and are packed in purpose made cardboard cartons. If the range of standard kits does not provide a suitable answer, bespoke kits can be designed to meet the exact specification of the installation.



Outlet Colours

All kits come with a choice of colour for the external outlet of white, brown, terracotta or cotswold (beige). All internal outlets and ducting are supplied in white only. The colour of external outlet required must be stated when ordering.

Fixing Kits

Some kits contain a fixing kit. This consists of: 8 wall plugs and screws for wall outlet fixing and 4 adhesive (single sided) foam pads to aid loose fits.












BOXED KITS

RECTANGULAR PVC FLEXIBLE NOSE

As previously explained, the best form of ducting for any kind of application is a rigid duct and this should be used when possible, especially in the section of the run that goes through the wall, as hose could tear on the brickwork.

However, once through the wall, round flexible hose should be used to connect to the tumble dryer. Again, the run should be kept as short as possible and should not really exceed 3m.

Round and rectangular options are available with cowlled wall outlets for maximum effectiveness.

Product	Kit Code	Parts	Description	Qty	Duct size mm	Application
	207	4903 D1-0400 114-4 126-4 071	System 100 Rectangular Tumble Dryer Kit with Cowled Wall Outlet Cowled Wall Outlet with Damper - Rectangular Socket Flat Channel, 400mm Round Wall Plate Threaded Hose Connector with Socket Short Round to Rectangular Adapter Fixing Kit	1 1 1 1 1 1	110 x 54	
			Also available prepacked with 2m of hose ref 40207			
	207-3	4903 D1-0400 071 363 114-4 126-4	System 100 Round Tumble Dryer Kit with Cowled Wall Outlet and 3m Flexible Hose Cowled Wall Outlet with Damper - Rectangular Socket Flat Channel, 400mm Short Round to Rectangular Adapter Round PVC Flexible Hose, 3m Round Wall Plate Threaded Hose Connector with Socket Fixing Kit	1 1 1 1 1 1 1	110 x 54	
			Also available prepacked with 2m of hose ref 40207			
	240	4902 135-4 114-4 124-4	EasiPipe 100 Round Tumble Dryer Kit with Cowled Wall Outlet Cowled Wall Outlet with Damper - Round Spigot Round Pipe, 350mm Round Wall Plate Threaded Hose Connector with Spigot Fixing Kit	1 1 1 1 1	100	
	240-3	4902 135-4 114-4 124-4 363	EasiPipe 100 Round Tumble Dryer Kit with Cowl Wall Outlet and 3m Flexible Hose Cowled Wall Outlet with Damper - Round Spigot Round Pipe, 350mm Round Wall Plate Threaded Hose Connector with Spigot Round Flexible PVC Hose, 3m Fixing Kit	1 1 1 1 1 1 1	100	
	2442-2	2441 362 126-4	100mm Tumble Dryer Self Condensing Kit with 2m Hose Tumble Dryer Self Condenser Unit Round Flexible PVC Hose, 2m Threaded Hose Connector with Socket	1 1 1	100	
			<i>A simple option when it is inappropriate to duct a tumble dryer through a wall or to dangle flexible hose out of the window. This simple self condensing kit will keep the utility room free of steam.</i>			



BOXED KITS

ROUND PIPE DUCTING KITS

Typical usage

The Monsoon range of 150mm round pipe kits is designed primarily for the ducting of very high powered cooked hoods. A round, rigid pipe is the most efficient and effective duct to achieve maximum airflow performance.

Options are available to meet most standard installations in typical kitchens.

Kits provide enough ducting for runs of up to 3m. There is a kit for a run with two bends and a run with three bends.





Round pipe kits are provided with adhesive pads to ensure that the duct connection to the appliance exhaust spigot is secure, as diameters can vary slightly between manufacturers.

IMPORTANT

It is very important that the extraction power of the cooker hood/fan is utilised and the selection of the correct ducting kit is vital in achieving efficient and quiet extraction, as well as preventing the need to replace an

overworked and exhausted fan motor. The more powerful the extractor, the larger the duct needs to be. Please refer to the manufacturer for guidelines or use our recommendation in the tables below.

Please note that the manufacturer's warranty may be invalidated if the correct size ducting is not used.

Product	Kit Code	Parts	Description	Qty	Duct size mm	Application
	2605	6902 1100-6 693 690 114-6 126-6 661	EasiPipe 150 3m Round Pipe Kit for Straight Run with Cowled Wall Outlet Cowled Wall with Damper - Round Spigot Round Pipe, 1m Straight Pipe Connector 90° Bend Round Wall Plate Threaded Hose Connector with Socket Round PVC Flexible Hose 1m Fixing Kit	1 2 1 1 1 2 1 1	150	 500 m ³ /hr plus
	2607	6902 1100-6 693 690 114-6 126-6 661	EasiPipe 150 3m Round Pipe Kit with Horizontal Bend with Cowled Wall Outlet Cowled Wall with Damper - Round Spigot Round Pipe Connector, 1m Straight Pipe Connector 90° Bend Round Wall Plate Threaded Hose Connector with Socket Round PVC Flexible Hose, 1m Fixing Kit	1 2 1 2 1 2 1 1	150	 500 m ³ /hr plus