



60 minute Fire Rated Intumescent Air Valves

CODE	DESCRIPTION
FR-EV100	100mm Extract Valve
FR-EV125	125mm Extract Valve
FR-EV150	150mm Extract Valve
FR-SV100	100mm Supply Valve
FR-SV125	125mm Supply Valve
FR-SV150	150mm Supply Valve



Intumescent Door Grille Set

CODE	DESCRIPTION
IDGS300	300 x 300mm Intumescent Door Set

Other sizes are available on special order.



Curtain Fire Damper

DIAMETER	FDC STANDARD	FDCF WITH INSTALLATION FRAME
100mm		
125mm		
150mm		
160mm		
200mm		
250mm		
300mm		
315mm		
355mm		
400mm		
450mm		

Order ref - Code type / size - larger sizes on request.

2 Hour Intumescent Pipe Wraps

CODE	DESCRIPTION
QWW 110	100mm - 110mm Round Pipe Wrap
QWW 125	125mm Round Pipe Wrap
QWW 160	150mm - 160mm Round Pipe Wrap



4 Hour uPVC Pipe Fire Stop

CODE	DESCRIPTION
QWR110	Fire Stop 100-110mm
QWR130	Fire Stop 125-130mm
QWR160	Fire Stop 150-160mm



Twin Blade Fire Damper

CODE	DESCRIPTION
FD100	100mm In-line Twin Blade Damper
FD125	125mm In-line Twin Blade Damper
FD160	160mm In-line Twin Blade Damper
FD200	200mm In-line Twin Blade Damper



QRS Intumescent Fire Sleeves

CODE	DESCRIPTION
QRS110x54	1 Hour Fire Protection for 110 x 54 Duct
QRS204x60	1 Hour Fire Protection for 204 x 60 Duct
QRS220x90	1 Hour Fire Protection for 220 x 90 Duct



Fire Protection

Intumescent Fire Cuffs Circular 100mm, 125mm & 150mm



CODE	DESCRIPTION
IFSC100	Intumescent Fire Cuff 100mm
IFSC125	Intumescent Fire Cuff 125mm
IFSC150	Intumescent Fire Cuff 150mm

Intumescent Fire Cuffs Rectangular 110mm x 54mm, 204mm x 60mm & 220mm x 90mm



CODE	DESCRIPTION
IFSR110	Intumescent Fire Cuff 110 x 54
IFSR204	Intumescent Fire Cuff 204 x 60
IFSR204/3	Intumescent Fire Cuff 204 x 60, 3 sided for flush fit
IFSR220	Intumescent Fire Cuff 220 x 90

National Ventilation does not guarantee compliance with Building Regulations Part B, Fire Spread or other regulations that relate to fire planning. Suitability to comply with these regulations should be determined prior to installation and in conjunction with Building Control Officers. Compliance with the Regulations is specifically excluded from quotations and designs.