

### Circular Air Valves

- Finished in white
- Complete with fixing and collar
- Extract and supply models
- Fully adjustable for air flow



CODE	DESCRIPTION
SAV-EV100	100mm Extract Valve
SAV-EV125	125mm Extract Valve
SAV-EV150	150mm Extract Valve
SAV-SV100	100mm Supply Valve
SAV-SV125	125mm Supply Valve
SAV-SV150	150mm Supply Valve

### Pressed Steel Grilles

- Door or wall mounted
- Standard or fireblock air transfer application
- 20swg mild steel
- Slimline appearance
- Comes in white as standard - other colours available on request
- Colour finish and non-standard sizes on request



CODE	SIZE	OVERALL SIZE
PSG150	150mm	193 x 193mm
PSG200	200mm	244 x 244mm
PSG250	250mm	295 x 295mm
PSG300	300mm	346 x 346mm
PSG350	350mm	397 x 397mm
PSG400	400mm	447 x 447mm
PSG450	450mm	498 x 498mm
PSG500	500mm	549 x 549mm
PSG600	600mm	651 x 651mm

### Electric Operated Shutters

- Door or wall mounted
- Standard or fireblock air transfer application
- 20swg mild steel
- Slimline appearance
- Comes in white as standard - other colours available on request
- Colour finish and non-standard sizes on request



CODE	DESCRIPTION
EES 100	100mm Electrically Operated Shutter IP55
EES 150	150mm Electrically Operated Shutter IP55
EES 200	200mm Electrically Operated Shutter IP55
EES 250	250mm Electrically Operated Shutter IP55
EES 315	315mm Electrically Operated Shutter IP55
EES 355	355mm Electrically Operated Shutter IP55
EES 400	400mm Electrically Operated Shutter IP55
EES 450	450mm Electrically Operated Shutter IP55
EES 500	500mm Electrically Operated Shutter IP55
EES 630	630mm Electrically Operated Shutter IP55
EES 710	710mm Electrically Operated Shutter IP55

### Gravity Shutters

- Louvre back draught shutter
- Manufactured from UV stabilised plastic
- Supplied as standard in grey colour



CODE	SIZE	OVERALL SIZE
GS200	200mm 243 x 243mm	200mm 243 x 243mm
GS250	250mm 294 x 294mm	250mm 294 x 294mm
GS300	300mm 343 x 343mm	300mm 343 x 343mm
GS350	350mm 394 x 394mm	350mm 394 x 394mm
GS400	400mm 457 x 457mm	400mm 457 x 457mm
GS450	450mm 499 x 499mm	450mm 499 x 499mm
GS500	500mm 548 x 548mm	500mm 548 x 548mm
GS550	550mm 605 x 605mm	550mm 605 x 605mm
GS650	650mm 696 x 696mm	650mm 696 x 696mm
GS700	700mm 760 x 760mm	700mm 760 x 760mm
GS800	800mm 840 x 840mm	800mm 840 x 840mm
GS1000	1000mm 1040 x 1040mm	1000mm 1040 x 1040mm

## External Weather Louvre

- 45° fixed blade louvre
- Mill finish
- Aluminium as standard
- Colour finish, dampers and non-standard sizes on request



CODE	SIZE	OVERALL SIZE
EWL100	100mm	143mm x 143mm
EWL150	150mm	193mm x 193mm
EWL200	200mm	243mm x 243mm
EWL250	250mm	293mm x 293mm
EWL300	300mm	343mm x 343mm
EWL350	350mm	393mm x 393mm
EWL400	400mm	443mm x 443mm
EWL450	450mm	493mm x 493mm
EWL500	500mm	543mm x 543mm
EWL550	550mm	593mm x 593mm
EWL600	600mm	643mm x 643mm
EWL650	650mm	693mm x 693mm

## Monsoon Giant Weather Cowls

- Protection against prevailing weather conditions
- Shape designed to minimise resistance to airflow
- Made from UV stabilised GRP



CODE	SUIT PLATE FAN	OVERALL SIZE	OPENING SIZE
MWC25/31	250-315mm	500mm <sup>2</sup>	410mm <sup>2</sup>
MWC35/40	350-400mm	610mm <sup>2</sup>	510mm <sup>2</sup>
MWC45/50	450-500mm	755mm <sup>2</sup>	645mm <sup>2</sup>
MWC56/63	560-630mm	935mm <sup>2</sup>	815mm <sup>2</sup>