

Spiral Ducting

Manufactured from galvanised steel in standard lengths of 3 metre to comply with HVCA DW 144 specification.



*Not all sizes available for next day delivery. Please check with our sales office for availability.

DIAMETER	GAUGE	1m LENGTHS	3m LENGTHS
80mm	0.5mm		
100mm	0.5mm		
125mm	0.5mm		
150mm	0.5mm		
200mm	0.6mm		
224mm	0.6mm		
250mm	0.6mm		
300mm	0.6mm		
315mm	0.6mm		
355mm	0.8mm		
400mm	0.8mm		
450mm	0.8mm		

*Not all sizes available for next day delivery. Please check with our sales office for availability.

'Y' Pieces, 'T' Pieces, Damper & Supports



DIAMETER	TP	YP	DSU	DSR
	'T' Piece Connector	'Y' Piece Connector	Partial Shut-off	Suspension Ring
80mm				
100mm				
125mm				
150mm				
200mm				
224mm				
250mm				
300mm				
315mm				
355mm				
400mm				
450mm				

Larger sizes available on request. Order ref - Code type/size.

Metal Elbow Bends, Couplings and End Caps



DIAMETER	90°	45°	FC	MC	ECD
	Metal Bend	Metal Bend	Female Coupling	Male Coupling	End-cap
80mm					
100mm					
125mm					
150mm					
200mm					
224mm					
250mm					
300mm					
315mm					
355mm					
400mm					
450mm					

Larger sizes available on request. Order ref - Order ref - 'MB'/Size/Degree.

Reducer Short



DIAMETER	80	100	125	150	180	200	224
100mm							
125mm							
150mm							
180mm							
200mm							
224mm							
250mm							

Order ref - Code type/size.



Reducer Long

DIAMETER	80	100	125	150	180	200
100mm						
125mm						
150mm						
180mm						
200mm						
224mm						
250mm						
300mm						
315mm						
355mm						
400mm						
450mm						

DIAMETER	224	250	300	315	355	400
100mm						
125mm						
150mm						
180mm						
200mm						
224mm						
250mm						
300mm						
315mm						
355mm						
400mm						
450mm						

Not all sizes available for next day delivery. Please check with our sales office for availability.
 Order ref - Code type/size - larger sizes on request.